

# Utah Department of Environmental Quality

## Division of Drinking Water

### Monitoring Schedule

Run Date:  
08/04/2011 12:38 pm

**PWS ID:** UTAH22058      **Name:** WOODEN SHOE WATER COMPANY

**Legal Contact:** WOODEN SHOE WATER COMPANY      **Rating:** Not Approved  
JOHN FIELD      **Rating Date:** 12/30/1899

**Address:** 4877 WOODENSHOE LN      **Activity Status:** Active  
PEOA, UT 84061

**Phone Number:** 435-783-5613

**City Served (Area):**

**County:** SUMMIT COUNTY

**System Type:** Community      **Last Inv Update:** 06/23/2010      **Avg Daily Prod:**

**Activity Status Cd:** Active      **Last Snty Srv Dt:** 05/14/2008      **Total Dsgn Cap:**

**Population:** 76      **Surveyor:** JIM MARTIN      **Total Emerg Cap:**

**Oper Period:** 1/1 to 12/31

**Gal/Day   Gal/Min**

### Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Monthly	03/01/2008		1/1	12/31	COLIFORM (TCR)

### Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

	Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
DS001	UTAH22058 DISTRIBUTION SYSTEM			Activity Status: A	Sample Label: UTAH22058	DS001
	Lead & Copper	5	Routine	3 Years	2005	06/01-09/30 2008

WS001	WOODENSHOE SPRING			Activity Status: A	Sample Label: UTAH22058	WS001	WS001
	E. COLI	1	Routine	MN			12/01/2010-12/31/2010
	NITRATE	1	Routine	Year	09/07/2010		01/01/2011-12/31/2011
	RADIUM-228	2	Routine	Year	05/19/2009		10/01/2008-09/30/2009
	Volatile Organics	1	Routine	3 Years	09/02/2008		01/01/2011-12/31/2013
	Inorg & Metals	1	Routine	3 Years	04/05/2011		01/01/2014-12/31/2016
	Pesticides	1	Routine	3 Years	09/02/2008		01/01/2011-12/31/2013
	Sodium,Sulfate,TDS	1	Routine	3 Years	04/05/2011		01/01/2014-12/31/2016